

Using Commands



Unix/IP Preparation Course

May 29, 2011
Dar es Salaam, Tanzania

The format of a command

```
command [options] parameters
```

“Traditionally, UNIX command-line options consist of a dash, followed by one or more lowercase letters. The GNU utilities added a double-dash, followed by a complete word or compound word.”

Two very typical examples are:


```
-h
```

```
--help
```

and

```
-v
```

```
--version
```



Command parameters

- The *parameter* is what a command *acts upon*.
- Often there are multiple parameters.
- In Unix UPPERCASE and lowercase for both options and parameters matter.
- **Spaces** ___ are ___ critical ___

“-- help” is wrong.

“--help” is right.

Some command examples

Let's start simple:

Display a **list** of files:

```
ls
```

Display a **list** of files in a **long** listing format:

```
ls -l
```

Display a **list** of **all** files in a **long** listing format
with **human-readable** file sizes:

```
ls -alh
```



Some command examples cont.

Some equivalent ways to do “`ls -alh`”:

```
ls -lah
```

```
ls -l -a -h
```

```
ls -l -all --human-readable
```


Note that there is no double-dash option for “`-l`”.

You can figure this out by typing:

```
man ls
```

Or by typing:

```
ls --help
```



Where's the parameter?


We typed the “`ls`” command with several options, but no parameter. Do you think “`ls`” uses a parameter?

Q.) What is the parameter for “`ls -l`”?

A.) It is “.” -- our current directory.

“`ls -l`” and “`ls -l .`”

are the same. We'll discuss files and directories later.



A disconcerting Unix feature

If a command executes successfully there is no output returned from the command execution.
this is normal.

That is, if you type:

```
cp file1 file2
```

The result is that you get your command prompt back. *Nothing means success.*


Let's give this a try...



A disconcerting Unix feature cont.

Try doing the following on your machine:

```
$ cd [cd = change dir]
$ touch file1 [touch = create/update]
$ cp file1 file2 [cp = copy]
```

- The “\$” indicates the command prompt for a normal user.
 - A “#” usually means you are the *root* user.
- 

Using pipes

In Unix it is very easy to use the result of one command as the input for another.

To do this we use the pipe symbol “|”. For example:

```
ls -l /sbin | sort
```

```
ls -l /sbin | sort | more
```

What will these commands do? Give it a try.



Take advantage of the command line

The command line in Unix is *much more powerful* than what you may be used to in Windows. ***You can...***

...easily edit long commands

...find and recover past commands

...quickly copy and paste commands.

...auto-complete commands using the tab key (in *bash* shell).

Edit long commands



! Don't touch that keyboard!
Arrow keys are sloooooow...

- Use *Home* and *End* instead (ctrl-a, shift-a)
- Delete with *Backspace* not *Delete*.
- Press `<ENTER>` *as soon as the command is correct*. You *do not* need to go to the end of the command.
- Use `history | grep string`, then `!NN` instead of lots of up-arrows.

Find and recover past commands

As noted on the previous slide. Use:

```
$ history | grep "command string"
```

Find command number in resulting list.

Execute the command by typing:

```
$ !number
```

So, to find any command you typed “many” commands ago you can do:

```
$ history | grep command
```



Quickly copy and paste commands

In Unix/Linux once you highlight something it is *already* in your copy buffer.

To copy/paste do:

- Highlight text with left mouse cursor. It is now copied (like *ctrl-c* in Windows).
- Move mouse/cursor where you want (any window), and press the *middle* mouse button. This is paste (like *ctrl-v*).

Doesn't work on a Mac...



Auto-complete commands using tab

Very, very, very powerful

“The tab key is good”, “the tab key is my friend”, “press the tab key”, “press it again”
- This is your mantra.

Tab works in the *bash* shell. Note, the *root* user might not use the *bash* shell by default.


Use the tab key! You'll thank us later 😊



Auto-complete commands using tab

Core concept:

Once you type something unique, press TAB. If nothing happens, press TAB twice.

- If text was unique text will auto-complete. A command will complete, directory name, file name, command parameters will all complete.
 - If not unique, press TAB twice. All possibilities will be displayed.
 - Works with file types based on command!
- 

Your mission

Should you choose to accept it...

- Pay close attention to options and parameters.
- Use “`man command`” or “`command --help`” to figure out how each command works.
- Use command line magic to save lots and lots and lots and lots of time.
- A command acts upon its parameters based on the options you give to the command...